H.A

	A 1' 4' NI-	[Amuliaansta)
Notice of Allowability	Application No.	Applicant(s)
	10/785,589	MCGETTIGAN ET AL.
	Examiner	Art Unit
	Joshua L. Pritchett	2872
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE filed April 11, 2006</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Motion of Informal 5	Patent Application (PTO-152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	
2. Notice of Draitperson's Patent Drawing Review (F 10-940)	Paper No./Mail Da	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), 7. Examiner's Amendi	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🔲 Other	

DETAILED ACTION

This action is in response to Request for Continued Examination filed April 11, 2006 and Amendment filed March 14, 2006. Claims 1, 11 and 20 have been amended as requested by the applicant.

Response to Arguments

Applicant's arguments, see Amendment, filed March 14, 2006, with respect to claim 1 have been fully considered and are persuasive. The rejection of claim 1 has been withdrawn.

Applicant amended claim 1 to overcome the prior art of record.

Allowable Subject Matter

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the prior art fails to teach or suggest an anti-aliasing filter comprising a substrate; a first double refraction plate (DRP) adapted to separate an incoming ray into an ordinary ray and an extraordinary ray having at least a first liquid photo-polymerization (LPP) layer having an optical axis oriented at an angle non-parallel and non-perpendicular to a surface of the LPP layer connected to the substrate and a first liquid crystal polymer (LCP) layer

Application/Control Number: 10/785,589

Art Unit: 2872

Page 3

disposed on the LPP layer having an optical axis aligned with the orientation of the optical axis of the LPP layer, the orientation comprising an optical axis of the first DRP, the first DRP having a thickness and optical axis selected to provide a selected separation of the ordinary and extraordinary light rays such that the separation is large enough for the separated ordinary and extraordinary light rays to substantially illuminate two adjacent pixels of a photodetector array.

The remaining claims depend from claim 1 and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua L. Pritchett whose telephone number is 571-272-2318. The examiner can normally be reached on Monday - Friday 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A. Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/785,589 Page 4

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JLP W

DREW A. DUNN SUPERVISORY PATENT EXAMINER